



Title: "Bifunctional Molecules and Their Use in the Disruption of Protein-Protein Interactions"
Inventor: Crabtree et al.
Application No.: 09/716,054
Atty. Docket No. STAN-166


COPY OF PAPERS
ORIGINALLY FILED

1/4

APPROVED	BY	DATE	SUBCLASS
DRAFTSMAN			

FIG. 1

The mode of action of blocking antibodies can be recapitulated with small molecules



COPY OF PAPERS
 ORIGINALLY FILED


2/4



APPROVED	O. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 2

NFAT translocates into the nucleus after activation of calcineurin with ionomycin



RECEIVED

AUG 14 2002

TECH CENTER 1600/2300



Title: "Bifunctional Molecules and Their Use in the Disruption of Protein-Protein Interactions"
 Inventor: Crabtree et al.
 Application No.: 09/716,054
 Atty. Docket No. STAN-166

3/4

RECEIVED

AUG 14 2002

TECH CENTER 1600/2900

COPY OF PAPERS
 ORIGINALLY FILED


APPROVED	O.G. FILE
BY	CLASS. SUBCLASS
DRAFTSMAN	

FIG. 3

Binding of FRB to FKBP-NFAT with rapamycin abolishes translocation into the nucleus

COS cells transfected with FRB and FKBP-NFAT

Translocation of FKBP-NFAT into the nucleus





Title: "Bifunctional Molecules and Their Use
Disruption of Protein-Protein Interactions"
Inventor: Crabtree et al.
Application No.: 09/716,054
Att. Docket No. STAN-166

4/4

RECEIVED

AUG 14 2002

TECH CENTER 1600/2900

COPY OF PAPERS
ORIGINALLY FILED

BY DRAFTSMAN	O.G. FIG.
	CLASS SUBCLASS

FIG. 4

Steric blockage prevents access of regulatory proteins to NFAT

